




It's Time for Relief From CRPS

Manage Complex Regional
Pain Syndrome with SCS



—Neil D.
*Relief with SCS
since 2017*

Spinal Cord Stimulation (SCS)

IT'S TIME to Find a Personalized Solution

If you're living with the intense pain of complex regional pain syndrome (CRPS), you've probably tried a range of therapies. Too often, these treatments are slow to take effect and may only provide temporary relief.

Boston Scientific's Spinal Cord Stimulation (SCS) therapy delivers therapy that provides relief you feel in minutes that lasts for years.

It can be personalized to treat your unique pain with options to suit your particular lifestyle, so you can make time to be yourself again.



—Mary M.
*Relief with SCS
since 2013*

Multiple Therapies **ONE DEVICE**

Spinal cord stimulation (SCS) therapies work by sending mild electrical pulses to interrupt pain signals so you don't perceive them as pain.

The WaveWriter Alpha™ SCS System can deliver multiple therapies, either individually or at the same time.

THIS IS IMPORTANT BECAUSE:

- Different people respond better to different therapies.¹ By offering multiple therapies in one device, the WaveWriter Alpha SCS System may have a better chance of finding the right therapy for your personal pain.²
- Your pain may change over time. Being able to adapt your therapy to these changes can help provide effective, long-term relief.³

Before committing to SCS, you can first take a short, fully-reversible trial to see if it is right for you.

Visit [Pain.com/SCS](https://www.pain.com/SCS) to learn more.



—Humberto G.
*Relief with SCS
since 2023*

Targeting Your **UNIQUE PAIN AREAS**

CRPS usually occurs in a particular area—your foot, your knee, your groin, or your hip. Targeting your precise pain area is key to finding effective relief.

The WaveWriter Alpha SCS System features advanced software and leads with up to 32 individually controlled contacts.

THIS MEANS:

- The WaveWriter Alpha SCS System is designed to be programmed to find your unique pain relief “target.”
- The programming can be adjusted to maintain therapy in the right spot over time, even if the target moves.



*WaveWriter Alpha
SCS System*

Take a moment to learn more about SCS from Boston Scientific

Visit [Pain.com](https://www.pain.com) or talk to your doctor

This brochure is illustrated with images of real Boston Scientific SCS patients, though they may not be specifically diagnosed with CRPS.

References: 1. Kriek N, Groeneweg J, Stronks D, Ridder D, Huygen F. Preferred frequencies and waveforms for spinal cord stimulation in patients with complex regional pain syndrome: A multicentre, double-blind, randomized and placebo-controlled crossover trial. *Eur J Pain*. 2017;21:507-519. doi:10.1002/ejp.944. N=29. 2. North J, et al. Outcomes of a Multicenter, Prospective, Crossover, Randomized Controlled Trial Evaluating Subperception Spinal Cord Stimulation at :s1.2 kHz in Previously Implanted Subjects. *Neuromodulation: Technology at the Neural Interface*. 2019;doi:10.1111/ner.13015. N=140. 3. Attalah J, et al. Evaluation of CRPS Patients Using an SCS System with Multiple Waveform and Stimulation Frequency Options. *Brain Stimulation: Basic, Translational, and Clinical Research in Neuromodulation*. 2018;12(2):e18-e19. N=35. **Indications for Use:** The Boston Scientific Spinal Cord Stimulator (SCS) Systems* are indicated as an aid in the management of chronic intractable pain of the trunk and/or limbs including unilateral or bilateral pain associated with the following: Failed Back Surgery Syndrome, Complex Regional Pain Syndrome (CRPS) Types I and II, Intractable low back pain and leg pain, Diabetic Peripheral Neuropathy of the lower extremities, Radicular pain syndrome, Radiculopathies resulting in pain secondary to failed back syndrome or herniated disc, Epidural fibrosis, Degenerative disc disease (herniated disc pain refractory to conservative and surgical interventions), Arachnoiditis, Multiple back surgeries. The Boston Scientific Spectra WaveWriter™, WaveWriter Alpha™ and WaveWriter Alpha™ Prime SCS Systems are also indicated as an aid in the management of chronic intractable unilateral or bilateral low back and leg pain without prior back surgery.

*The Boston Scientific Spinal Cord Stimulator (SCS) Systems include the following: Precision™ System, Precision Spectra™ System, Precision Novi™ System, Precision Montage™ MRI System, Spectra WaveWriter™ System, WaveWriter Alpha™ System, WaveWriter Alpha™ Prime System.

Note: CRPS I was previously referred to as Reflex Sympathetic Dystrophy (RSD) and CRPS II was previously referred to as causalgia.

The mySCS™ Go Therapy Controller is intended to communicate with and control the compatible Boston Scientific Stimulator.

Contraindications: The Boston Scientific Spinal Cord Stimulator systems are not for patients who are unable to operate the system, have failed trial stimulation by failing to receive effective pain relief, are poor surgical candidates, or are pregnant.

Warnings: With all medical procedures, there are risks associated with the procedure and the use of the device. Patients implanted with Boston Scientific Spinal Cord Stimulator systems without ImageReady™ MRI Technology should not be exposed to Magnetic Resonance Imaging (MRI). Exposure to MRI may result in dislodgement of the stimulator or leads, heating of the stimulator, severe damage to the stimulator electronics and an uncomfortable or jolting sensation. As a Spinal Cord Stimulation patient, you should not have diathermy as either a treatment for a medical condition or as part of a surgical procedure. Strong electromagnetic fields, such as power generators or theft detection systems, can potentially turn the stimulator off, or cause uncomfortable jolting stimulation. The system should not be charged while sleeping. The Boston Scientific Spinal Cord Stimulator system may interfere with the operation of implanted sensing stimulators such as pacemakers or implanted cardiac defibrillators. Advise your physician that you have a Spinal Cord Stimulator before going through with other implantable device therapies so that medical decisions can be made and appropriate safety measures taken. Patients using therapy that generates paresthesia should not operate motorized vehicles such as automobiles or potentially dangerous machinery and equipment with the stimulation on. Stimulation must be turned off first in such cases. For therapy that does not generate paresthesia (i.e. subperception therapy) it is less likely that sudden stimulation changes resulting in distraction could occur while having stimulation on when operating moving vehicles, machinery, and equipment.

Be sure to talk with your doctor so that you thoroughly understand all of the risks, precautions, and benefits associated with the use of the device and what indicates, and contraindicates, certain patients—as well as the risks and precautions for the procedure. For complete indications for use, contraindications, warnings, precautions, and side effects, call 866.360.4747 or visit [Pain.com](https://www.pain.com).

Caution: U.S. Federal law restricts this device to sale by or on the order of a physician.

Scan with your mobile device.



Boston Scientific
Advancing science for life™

25155 Rye Canyon Loop
Valencia, CA 91355 USA

Copyright ©2026 by
Boston Scientific Corporation
or its affiliates. All rights reserved.

NM-2311815-AA